Single Sign On (SSO) for Business and Contact Center Systems

Single Sign-On (SSO) is a feature that allows users to access multiple applications or websites with just one set of login credentials. It simplifies the authentication process, reduces the need to manage multiple usernames and passwords, and improves user experience by eliminating the need to log in repeatedly.

For SSO to work your PBX system must be able to access https://login.microsoftonline.com .

Microsoft Entra Setup

To setup an OAuth 2.0 client with Microsoft you must first register the application in the <u>Microsoft Entra Admin Center</u>

- 1. Select Applications
- 2. App registrations
- 3. Click New Registration



- 4. Name: Enter a name for the Application
- 5. Supported account types: Select Accounting in any organizational directory (any Microsoft Entra ID tenant – Multitenant) and personal Microsoft accounts (r.g. Skype, Xbox)
- 6. Redirect URI: Web https://pbx_domain_name/auth/azurereadv2/callback
- 7. Click Register



- Copy the Application ID to a safe location, this will be needed later.
- 9. Copy the Directory (tenant) ID to a safe location. This is an optional field and can be used to restrict SSO access to members of this tenant only.
- Under Client credentials, click Add a certificate or secret.



 Copy the Value from the Client secret and save it with the Application ID.

N	licrosoft Entra admin center	,c	Search resources, services, and docs (G+/)				📀 Copilot	\$ ⊗ 0	중 gyegavian@ FIRELINE NETW	Corp.fireline	
†	Home What's new Home What's new Home			gistrations > Window ficates & sec	vs Admin Center ⇒ rets 🖈 …	Enterprise applications	All applications > Browse Micro	osoft Entra Gallery	> App registrations >	My_SSO_Ap	
۵	Diagnose & solve problems		R Got feedback?								
*	Favorites	\sim	 Overview Quickstart 	Oct a second to give us some feedback? →							
۵	Identity	^	 Integration assistant Diagnose and solve problems 	Credentials enable confidential applications to identify themselves to the authentication service when receiving tokens at a web addressable location (using an H							
()	Overview		Manage	scheme). For a myre	riever of assurance,	we recommend using a ce	remote (instead of a cherk secret) a	a creacition.			
8	Users	~	Branding & properties	Application registration certificates, secrets and federated credentials can be found in the tabs below.							
*	Groups	č	Authentication Certificates & secrets	Certificates (0)	Client secrets (1)	Federated credentials	(0)				
т. В	Applications	^	Token configuration API permissions	A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application pass						word.	
	Enterprise applications		🛆 Expose an API	+ New client see	rret						
	App registrations		14 App roles	Description		Expires	Value 🛈	Secre	et ID		
۵	Protection	\sim	Owners	clientsecret		11/29/2025	2482-MATRANIPA MINA		c74-a525-475a-8652-86	. 17980	
۲	Identity Governance	\sim	 Roles and administrators Manifect 								
ψ	External Identities	\sim	Support + Troubleshooting								
	Show more	,	New support request								
2	Learn & support	^									

- 12. Select Authentication Menu Item
- 13. Place a check mark in both Access tokens (used for implicit flows) & ID tokens (used for implicit and hybrid fows)
- 14. Click Save



- 15. Select API permissions
- 16. Click Add a permission

Microsoft Entra admin center		2	⊘ Search resources, services, and docs (G+/)						L ³	ŝ	0	\$7	gye FIREL
☆	Home What's new	Î	> Register an application > App 	reg Ipe	istrations > My_SSO_App > ermissions 🖈 ···	Enterprise appl	ications All applications > Browse	Microsoft Entra	Gallery	> App	o registr	ations	> M
	Diagnose & solve problems				🕐 Refresh 🔰 🔗 Got fe	edback?							
*	Favorites	~	ØverviewQuickstart		A Granting tenant-wide consent may revoke permissions that have already been granted tenant-wide for that application. Permissio								users
•	Identity	✓ Integration assistant on their own behalf are		sehalf aren't affected. <u>Learn more</u>									
()	Overview		Manage		1 The "Admin consent req	owever, user consent can be customized per permiss app will be used. <u>Learn more</u>					nission, u		
8	Users	\sim	Branding & properties				gun az elen que no el gun az el	opp 1111 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		-			
°x*	Groups	\sim	Authentication		Configured permissions								
Ð	Devices	\sim	Certificates & secrets		Applications are authorized to include all the permissions th	call APIs when the application need	ney are granted permissions by users/a ds. Learn more about permissions and	dmins as part of consent	the conse	ent pro	cess. The	e list of	r confi
₿,	Applications	^	Token configuration API permissions		+ Add a permission 🗸	Grant admin cons	sent for Fireline Network Solutions, Inc						
	Enterprise applications	1	 Expose an API 		API / Permissions name	Туре	Description		Adm	in cons	ent req.	St	atus
	App registrations		App roles		V Microsoft Graph (1)								
A	Protection	\sim	A Owners		User.Read	Delegated	Sign in and read user profile		No				
۲	Identity Governance	\sim	 Roles and administrators Manifest 		To view and manage consent	ed permissions for	r individual apps, as well as your tenan	t's consent setting	gs, try <mark>En</mark> i	terprise	applica	tions.	
ų):	External Identities	\sim			-								
	Show more		New support request										
2	Learn & support	^											

17. Under Request API permissions select Microsoft Graph



18. Select Delegated permissions

м	icrosoft Entra admin center	م ر	Search resources, services, and docs (G-	+/)		Сорі
ה 1	Home What's new	ĺ	<pre> > Register an application > My_SSO_App A</pre>	App registrations > My_SSG API permissions	Request API permissions	
	Diagnose & solve problems			🛛 « 💍 Refresh 🛛 🛱	Microsoft Graph https://graph.microsoft.com/ Docs 🖉	
*	Favorites	\sim	OverviewQuickstart	▲ Granting tenar	What type of permissions does your application require? Delegated permissions	
۵	Identity	^	 Integration assistant Diagnose and solve problems 	on their own b	Your application needs to access the API as the signed-in user.	
i	Overview		Manage	The "Admin cc column may n	Application permissions	
8	Users	\sim	🗧 Branding & properties		Your application runs as a background service or daemon without a signed-in user.	
^a x ^a	Groups	\sim	Authentication	Configured perm		
43	Devices	\sim	📍 Certificates & secrets	Applications are aut include all the permi		
₿	Applications	~	Token configuration			
			API permissions	Add a permissi		
	Enterprise applications	Ť	Expose an API	API / Permissions		
	App registrations		App roles	V Microsoft Graph		
≙	Protection	\sim	🐣 Owners	User.Read		
:	Identity Governance	\sim	Roles and administrators	To view and manage		
qî	External Identities	\sim	Manifest Support + Troubleshooting	to view and manage		
	Show more		New support request			
2	Learn & support	~ «			Add permissions Discard	

- 19. Under Select Permissions type o to pull up the OpenID permissions
- 20. Expand OpenID and select the following
 - 1. email

- 2. offline_access
- 3. openid
- 4. profile

21. Once selected click add permissions



- 22. Review all items are listed under Microsoft Graph including User.Read which should have been selected by default.
- 23. Click on Grant admin consent
- 24. Click Yes to the Grant admin consent confirmation, pop up.



PBX Setup

- 1. to your PBX system
- 2. Select the Settings tab
- 3. Select Sigle Sign On
- 4. Select the Edit button to the right of the Microsoft Entra ID option



5. Select Yes to enable the Entra Client

- 6. Copy the Application ID you saved earlier, and paste it into the Client ID field
- Copy the Value of the Client Secret saved earlier, and paste it into the Client Secret field.
- 8. The Tenant ID can be left empty, allowing users from any Microsoft Entra ID tenant to authenticate or populated to restrict to single Micrososft tenant only.
- 9. Save

ШX	UX
Home Settings	Single Sign-On Provider > Microsoft Entra ID
Protocols	Client Enable: Yes No
Single Sign-On	Y Client ID:
Providers	
UAD	Client Secret:
Touchless Provisioning	Tenant ID:
OAuth	>
E-mail Templates	
E-mail Notifications	Save Save
SMS Settings	> ·
gloCOM	>
Voicemail	
Conf files	
Notes	
About	> · · · · · · · · · · · · · · · · · · ·
😂 Admin Settings	
C→ Sign out	

- 10. Select Servers
- 11. Move to the Autenntication section and select Yes to Enforce SSO Auth, accross the system. Select No if you want to manage SSO per extension.
- 12. Select the number of months, (1-3), that you would like the SSO token to expire.

Authentication		
2FA Expiry Time:	1 day	•
2FA Max Inactivity Time:	1 Year	•
Enforce SSO Auth:	Yes No	
SSO Token Expiry Time:	1 Month	•

13. Select Save

Per Extension Settings

- 1. From the Home tab open Extensions
- 2. Chose the extension you would like to enforce SSO on.
- 3. Go to Autentication section and select Yes to SSO Enabled.
- 4. Save extension.

IIV										0
UΛ	201 - 201-Test/	Account					🚢 Administrator	0 0 4	C C	# ?
Home Settings	Extensions > Edit	+ Hide Advanced	Options							
Dashboard	General				Authentication					
Extensions System	•	Extension Number:		~	Username:					~
Paging Groups		Title:			LDAP username:					
Departments										
Caller ID List		Name:	Communicator User	~	Authname:					
SMS	•	E-mail:	Manual Science and American	~	Auth:					
DIDs		Chill blocker			formet					
Conferences Rise Covers		SMS NUMBER.			secret					<u>.</u>
IVR		UAD:	gloCOM		User Password:					
Queues	•	UAD Location	Permote		Incomine IP addresses					
Voicemail		OND LOCADOR.	Nenda		(new line separated):					
Monitor	Check	for UAD SIP headers:			la contra c	Manage subject				5
Reports					Envectore:	Please select				
Meetings		Label:			2FA Expiry Time:	1 day				•
Fax		Line Number:				6 h f				-
Event Manager	>				2FA Max inactivity Time:	1 Month				
CRM	•	Location:			SSO Enabled	Yes No				
System	•	Language:				_				
Routes	•				PIPE					· · ·
LCR		Extension Timezone:	System default		Permissions					
		Department:	None ×	~	Destina	tions		Enhanced Service	es	
		User Type:	friend	~	Note	5	(Editions & Modu	les	
		DTMF Mode:	rfc2833	~						
		Context:	t-201	~		✓ Save	A Save & E-mail	Copy As 1	New (C	So back

5. SSO will be enforced for this specific extension only.